

ABOUT OUR COMPANY

Phone: + 31 33 469 1037
Email: sales@deckwise.eu

MANUFACTURING DECKING SOLUTIONS

...Revolutionizing the hardwood building industry.

DeckWise® was founded on a simple premise; provide builders and homeowners the finest products built with American quality, pride and ingenuity. Since the year 2000, the DeckWise® brand has become recognized world-wide as a leader in developing innovative solutions for the exotic hardwood market.

Our flagship line, The EXTREME® invisible deck fixing is the original injection molded deck fixing with a stainless steel insert for reinforcement. Patented in the USA (2004), its success inspires us to expand our hardwood building product line more and more every year across the globe. Experience the DeckWise® difference!

{ If it says **Manufactured by DeckWise®** — you know you are using the best on the market. }

DeckWise.eu 




TABLE OF CONTENTS

DeckWise® EXTREME® Invisible Deck Fixings	4
Groove and Profile Cutting	6
DeckWise® WISECOAT® Hardwood Deck Sealer	7
DeckWise® Trim-Head Deck Screws	8
DeckWise® Bugle-Head Deck Screws	9
DeckWise® Metal Joist Self Tapping Screw	10
DeckWise® Composite Screw	11
DeckWise® Heat-Treated Deck Screws	12
DeckWise® Invisible Cladding Fixings	14
DeckWise® Hardwood Plugs (Smooth).....	16
DeckWise® WiseWrap® JoistTape™	17
DeckWise® Drill&Drive™ 3-In-1 Drill Bit Set.....	18
Hardwood Deck Tile System	19
DeckWise® Hardwood Wrench™ Plank Straightening Tool	20
DeckWise® Router Bits.....	22
DeckWise® Hardwood Plug Cutter.....	22
DeckWise® WiseGuides® Deck Plank Spacers	23

Exclusive co-brand packaging and labeling programs are available for Dealers and Distributors on DeckWise® products. For more information, call +31 33 469 1037 or email sales@DeckWise.eu.

INVISIBLE DECK FIXINGS

Manufactured By DeckWise®



Available in **3 SIGNATURE COLORS** to match your deck.



Shadowline Black • Hardwood Brown • Composite Grey



Injection Molded
UV Polymer Casing

Hardened
Stainless Steel Insert

Built-In Spacers



The DeckWise® hardwood deck fixing clip is unlike most “all-metal” fixings which, can react with timber oils triggering staining. The EXTREME® clip is constructed of a hardened plastic polymer resin shell that increases UV & chemical defense qualities; and has a stainless steel insert for reinforcement.

Our solid stainless steel insert securely holds deck planks to joist sleepers (up to 3X additional hold-down strength), preventing screws from pulling through the clip as the timber plank expands.

Premium made in the USA for exotic hardwood decks, the color of the plastic resin also works to camouflage and disguise the clip between the deck plank gaps.

Invisible Clip Kit

- (185) EXTREME® Invisible Deck Fixings
- (200) 4x50mm Black Stainless Steel Screws
- (12) 9,6mm Tapered Ipe Wooden Plugs
- (1) 3,2mm High Speed Drill Bit
- (1) T15 Star Drive Tip
- (3) Plank Spacer Wedges
- (1) Instruction Sheet



A2 Stainless Steel
Trim-Head screws included in
each container.

7,5L PRO Bucket

- (555) EXTREME® Invisible Deck Fixings
- (600) 4x50mm Black Stainless Steel Screws
- (3) 3,2mm High Speed Drill Bit
- (3) T15 Star Drive Tip
- (6) Plank Spacer Wedges
- (1) Instruction Sheet



Spacer Wedges are Included in
EXTREME4® and EXTREMEKD®
containers only.

EXTREME®

Gap spacing 2,4 mm (3/32")

EXTREME4®

Gap spacing 4mm (5/32")

EXTREMEKD®

Gap spacing 6,4 mm (1/4")

Fast and simple installation • No visible screws produce a family safe, beautiful deck
Uniform, precise timber gap spacing • Pull out resistance up to 500 KG of strength

COMPATIBLE WITH MOST EXOTIC HARDWOOD SPECIES FROM SOUTH AMERICA, ASIA, AND AFRICA.



Recommended for use with:
Air-Dried Hardwoods,
Thermal Woods &
Composites




Hardened stainless steel insert
inside rigid UV-and-chemical-
resistant polypropylene.

Smaller leg maintains a perfect
gap when materials contract due
to environmental conditions.



Recommended for use with:
Air-Dried, Kiln-Dried
Hardwoods, Thermal
Woods & Composites




Hardened stainless steel insert
inside UV-and-chemical- resistant
polyethylene.

Versatile leg is compatible
with most deck materials.



Recommended for use with:
Kiln-Dried Hardwoods,
Thermal Woods,
Composites & PVC



Hardened stainless steel
insert inside UV-and-chemical-
resistant polyethylene.

Hollow leg acts as a shock absorber
as kiln-dried materials expand.

NOTE: Check with your timber supplier for recommended gap spacing.

EXTREME® Ipe Clip® Series - U.S. Patent Numbers 8,464,488 and 8,806,829. Original, "round", STANDARD Ipe Clip® - U.S. Patent No. D470,039.

Symmetrical & Reversible Timber Planks

Choose the Best Side of Your Timber Plank to Install



POSITIONING DECK GROOVES

Symmetrical groove profile allow planks to be reversed and/or flipped to put the best side up.



CUTTING DECK GROOVES

Cut the groove yourself using a standard biscuit joiner or router using a 4mm slot cutter 13mm deep.



SCREWS DRIVEN AT A 45° ANGLE

The ability to run screws at a 45 degree angle through hardwoods greatly increases hold-down strength. Studies have proven that screws have more holding strength when installed at an angle. This method also maintains even gap spacing while properly allowing boards to expand and contract with the seasons.

Buy container loads of timber already grooved for DeckWise® invisible fixings. Call us for information and assistance with any of these options.

HARDWOOD WATERPROOF SEALER

Distributed By DeckWise®

WISECOAT™

Hardwood Deck, Cladding & Fence Sealer

DeckWise® **WISECOAT® HARDWOOD SEALER** is a Low VOC, odorless waterproofer designed for use on exotic hardwood and thermally modified timber decking, cladding and fence surfaces. This water-based formula utilizes innovative nanotechnology to create a long-lasting breathable barrier against water intrusion, and harsh weather conditions. WISECOAT® deeply penetrates and coats the timber fibers at the cellular level, providing maximum protection throughout. It prevents cracking and splitting of the timber and will not create a surface film when applied.



3,5 Liters

Approximate coverage:

1 can = 23-28 m²

- Low VOC
- Water-Based
- UV protection & Odorless
- Enhances wood stability
- Amber tint enhances natural timber grain
- Protects against water, mold & decay
- Prevents water intrusion
- Non-flammable

APPLICATIONS:

- Decks
- Outdoor Furniture
- Railings
- Fences
- Docks
- Timber Framing
- Cladding
- Shake Roofs
- Play Sets

TRIM-HEAD

STAINLESS STEEL SCREWS

Distributed By DeckWise®

Use on exotic hardwoods,
thermally modified woods
& composite material.

 Shadowline Black

 Hardwood Brown

 Stainless Steel

 Cedar

 Rosy Brown

- A2 grade stainless steel provides anti-corrosion benefits
- T15 Star Drive finish heads for less stripping
- Type 17 auger tip for easy penetration



Sizes Available	100 count	350 count
4x25mm (#8x1")	✓	✓
4x38mm (#8x1-1/2")	✓	✓
4x50mm (#8x2")	✓	✓
4x64mm (#8x2-1/2")	✓	✓
4x79mm (#8x3-1/8")	✓	✓



BUGLE-HEAD

TIMBER SCREWS

Distributed By DeckWise®



Hardwood Brown



Stainless Steel



Fasten all types of wood decking-
exotic hardwood, thermally modified
wood, preservative-treated wood,
and composite material.

5x79mm

5x64mm



A2 Stainless Steel

- T-25 Star Drive for easy installation
- Type 17 Auger tip
- Double countersink flat head with 6 ribs sits flush with timber
- Coarse thread grips wood



Sizes Available

100 count

350 count

5x64mm (10x2-1/2")	✓	✓
5x79mm (10x3-1/8")	✓	✓

METAL JOIST

STAINLESS STEEL SCREWS

Distributed By DeckWise®

SELF-TAPPING

INSTALL WITH EASE!



Shadowline Black • Hardwood Brown • Silver

STAR RECESS & UNDERCUT HEAD

Deep T-15 star tip recess; specially engineered head which eliminates slipping and stripped heads.

TRIPLE STRENGTH CORROSION RESISTANCE

C1 stainless steel + Xylan coating + Bright hardening

SELF-DRILLING POINT

#3 drill point digs into material with ease and cleanly penetrates the underlying metal or aluminum joist sleepers.

3,9x57mm

3,9x41mm



Sizes Available

100 count 350 count

3,9x41mm (#7x1-5/8")	✓	✓
3,9x57mm (#7x2-1/4")	✓	✓

Metal joist deck screws are available as an option in all invisible deck fixing kits.

COMPOSITE STAINLESS STEEL SCREWS

Distributed By DeckWise®

5 COLORS TO MATCH MATERIALS

Hardwood Brown



Cedar



Rosy Brown



Composite Grey

Composite Sand

A2 Stainless Steel
5x64mm



Sizes Available

100 count 350 count

5x64mm (#10x2-1/2")



- T-20 drive delivers plenty of torque without stripping out the heads
- Head designed to eliminate mushrooming or marring of deck surfaces
- These flutes grab the board and hold it tight to the joist
- Middle threads compress fibers deep in the hole, further helping to reduce mushrooming
- Lower threads grab the joist to additionally hold the board tight to the joist
- Sharp Type 17 auger point cuts fast and clean without splintering or splitting

HEAT-TREATED STAINLESS STEEL SCREWS

Distributed By DeckWise®

HEAT-TREATED FOR HARDENED TOUGHNESS

Self-Drilling No Pre-drilling Required

4x45mm &
4x50mm



A2 Stainless Steel

- **ttap**[®] patented T15 Star Drive head for less slipping
- Heat treated for hardened toughness
- Serrated saw threads remove sawdust
- Four sided tip for self-drilling

* **ttap**[®] is a registered trademark of Ttapdrive AS



DeckWise[®] Self-Drilling Heat-Treated Screws will easily penetrate hardwoods and most thermally modified timber.



ttap[®] *feel the difference*[™]
patented



Locking bit to eliminate slipping.

Use in conjunction with the DeckWise[®] Drill&Drive[™].


Sizes Available	100 count	350 count
4x45mm (#8x1-3/4")	✓	✓
4x50mm (#8x2")	✓	✓



DeckWise[®] HTSS[™] deck screws are available as an option in all Deckwise[®] invisible deck fixing kits.



LESS STRIPPING,
 LESS SNAPPING,
 LESS HEADACHES![™]



INVISIBLE CLADDING

FIXINGS

Manufactured By DeckWise®



DeckWise® Invisible Cladding Fixing Kit Contains:

Invisible Cladding Fixings:	50 range	175 range	300 range	1050 range
Starter Clips	-	12	20	64
4x50mm Screws	50	190	325	1130
T15 Tip(s)	1	1	2	3



DeckWise®
Starter Clips



DeckWise®
Invisible Cladding Fixings



4x50mm A2 Stainless
Steel Trim-Head Screws



T15 Driver Tip


A2 STAINLESS STEEL

Install hardwood cladding with **NO VISIBLE** fixings on the surface.



SECTION A-A

Screw location if hanging siding on the vertical, angular, or overhead



Secondary Screw Hole



DeckWise® Invisible Cladding Fixing



DeckWise® Starter Clips



HARDWOOD PLUG

KITS & SYSTEM

Manufactured By DeckWise®

PLUGS AVAILABLE IN
100, 350, 1050, & 1750
QUANTITIES



HARDWOOD PLUGS SMOOTH



Sizes Available

Cumaru

Tigerwood

Ipe

Massaranduba

9,5mm (3/8")



Custom sizes available for our **HARDWOOD PLUGS**.
Ask an associate for details, pricing, and minimum quantities.

MASTER PLUG KIT

- 350 ct. or 1,050 ct. Hardwood Plugs
- 350 ct. or 1,050 ct. DeckWise® 4x50mm Stainless Steel Screws
- 1 Complete Drill&Drive™ 3-in-1 Drill Bit Set
- 118ml (4 oz.) Bottle of Gorilla Glue®



PROTECTIVE TAPE

FOR JOISTS

Distributed By DeckWise®

SELF-ADHESIVE & SELF-SEALING
butyl tape with premium UV
resistance and high tack.

- Protects against wood rot
- Creates a waterproof membrane
- Noise dampening qualities
- Self seals around screws

WiseWrap®

JOISTTAPE™



Available in rolls of
75mm x 15m



3-in-1 REVERSIBLE DRILL BIT SET

Manufactured By DeckWise®

DRILL & DRIVE™

Use to **COUNTERSINK** face screws
or for **DRILLING PLUG HOLES** with
pilot holes all in one step.

Drill&Drive™ Kit Includes

- 1 Quick Change Locking Collar
- 2 3,18mm High-speed Drill Bit & 9,5mm Countersink Tool with T15 Star Drive Tip
- 3 4 5 3,18mm Drill Bit & 9,5mm Countersink
- 6 On-board Hex Key
- 7 8 9 10 T15 Star Drive Tip



DRILL



FLIP



DRIVE

HARDWOOD DECK TILE SYSTEM

Manufactured By DeckWise®



Available in Ipe,
Cumaru, Tigerwood
and Massaranduba.

Size ranges are:
600mm x 600mm x 43mm &
500mm x 500mm x 30mm

LUXURIOUS.
LONG-LASTING.
EXCEPTIONAL VALUE.

Constructed from responsibly harvested premium grade hardwood remnants.

Hardwood Deck Tiles are perfect for new or renovated residential and commercial applications. Designed for both the DIY homeowner and the professional contractor, these tiles are ideal for roof tops, gardens or over any area a typical deck cannot be installed. The exotic shading and natural wood color variations provide the rich look of a luxurious deck. Made from Brazilian hardwoods, they are extremely durable, naturally resistant to insects, and rot resistant.

BRAZILIAN
HARDWOOD
SMOOTH & ANTI-SLIP
DECK TILES



WiseTile™ Deck Tile Connectors (sold separately) simply snap in place, precisely, accurately and securely over virtually any hard surface.

Shadowline Black • Hardwood Brown • Concrete Grey

HARDWOOD PLANK STRAIGHTENING

Manufactured By DeckWise®

HARDWOOD™ WRENCH

True Hands-Free Installations



10 CONFIGURATIONS

1. Right Hand Single Joist
2. Right Hand Double Joist
3. Right Hand Reverse Handle Single Joist
4. Right Hand Reverse Handle double joist
5. Left Hand Single Joist
6. Left Hand Double Joist
7. Left Hand Reverse Handle Single Joist
8. Left Hand Reverse Handle Double Joist
9. Right Hand Furring
10. Left Hand Furring



1
Position The **HARDWOOD WRENCH™**
On The Joist Sleeper.



2
Rotate Handle To Straighten Bowed Planks.



3
Cam Locks In Place, Holding Planks Straight.

1 + 10 + 500 KG = THE ULTIMATE
TOOL CONFIGURATIONS BENDING FORCE DECK BOARD STRAIGHTENER

Adjustable stainless steel joist pins for use on up to 95mm (3.75") joists

Hard-anodized aircraft grade aluminum

Stainless steel multi-position handle

Knurled stainless steel joist pins for increased gripping.

Solid hardwood handle



Patent Numbers: US 8,936,054; D623,913; EP 2,387,648;
DE202010001036.5; UK 2,469,964; AU 2010210940; CA 2,749,643.
Other U.S. and International patents pending.





ACCESSORIES

TERRACE TOOLS

Distributed By DeckWise®



ROUTER BITS

Sizes Available	4mm (5/32") 4-WING SLOT CUTTER BITS		
12,7mm Arbor (1/2")			Blade diameter - 47,6mm Slot Width (A) - 4mm Slot Depth (B) - 12,7mm
6,4mm Arbor (1/4")			Blade diameter - 47,6mm Slot Width (A) - 4mm Slot Depth (B) - 12,7mm

*Safety details at www.DeckWise.com/Safety. Do not exceed 16,000 RPM for safety.

HARDWOOD PLUG CUTTER



9,5mm

12,7mm

Conveniently cut hardwood plugs on the job site.

- Anti-skate design
- Self centering Guide Pin
- Use with Hand-Held Drill or Drill Press



SPACER WEDGES

PLANK GAP TOOL

Manufactured By DeckWise®

WiseGuides®



6 PACK
(6 of any 1 size)



20 PACK
(20 of any 1 size or an assortment)

Use with **EXOTIC HARDWOODS, THERMALLY MODIFIED SOFTWOODS & COMPOSITE DECKING**
...any deck building material!

Sizes Available	3,2mm	4mm	5,2mm	6,4mm	8mm
6 pack: 6 of any 1 size	✓	✓	✓	✓	✓
20 pack: 20 of any 1 size	✓	✓	✓	✓	✓
20 pack variety: 4 of each size	✓	✓	✓	✓	✓

3,2mm



4mm



5,2mm



6,4mm



8mm





DeckWise®.eu

Manufacturers of Hidden Deck Fasteners & Accessories

EUROPEAN SALES OFFICE

DeckWise® International B.V.
Nijverheidsweg Noord 60-2
3812 PM Amersfoort
The Netherlands

VAT Number: NL8514.52.863.B.01.
Chamber Of Commerce
Number: 54820634

Phone Number: **+ 31 33 469 1037**
Fax Number: + 31 33 448 0525

NORTH AMERICAN ADMINISTRATION & MANUFACTURING FACILITY

DeckWise®
The Ipe Clip® Fastener Company
2111 58th Ave East
Bradenton, FL 34203

Phone Number: 941-896-9851
Toll Free Number: 866-427-2547
Fax Number: 941-896-9858

www.DeckWise.eu

©2019 DeckWise® International BV, All rights reserved.
EXTREME® hardwood clip is manufactured by DeckWise®.