

# DeckWise.eu International B.V.

Manufacturers of Invisible Deck Fixings and Accessories



Always Innovation.  
Never Imitation.™

**PRODUCT CATALOG**

Invisible Deck Fixings, Cladding Fixings, Tools & Accessories

# ABOUT OUR COMPANY

Phone: + 31 33 469 1037  
Email: [sales@deckwise.eu](mailto:sales@deckwise.eu)

## MANUFACTURING DECKING SOLUTIONS

...Revolutionizing the hardwood building industry.

DeckWise® was founded on a simple premise; provide builders and homeowners the finest products built with American quality, pride and ingenuity. Since the year 2000, the DeckWise® brand has become recognized world-wide as a leader in developing innovative solutions for the exotic hardwood market.

Our flagship line, The EXTREME® invisible deck fixing is the original injection molded deck fixing with a stainless steel insert for reinforcement. Patented in the USA (2004), its success inspires us to expand our hardwood building product line more and more every year across the globe. Experience the DeckWise® difference!

{ If it says **Manufactured by DeckWise®** — you  
know you are using the best on the market. }

**DeckWise®.eu**



# TABLE OF CONTENTS

DeckWise® EXTREME® Invisible Deck Fixings .....	4
Groove and Profile Cutting .....	6
DeckWise® WISECOAT® Hardwood Deck Sealer .....	7
DeckWise® Trim-Head Deck Screws .....	8
DeckWise® Bugle-Head Deck Screws .....	9
DeckWise® Metal Joist Self Tapping Screw .....	10
DeckWise® Composite Screw .....	11
DeckWise® Heat-Treated Deck Screws .....	12
DeckWise® Invisible Cladding Fixings .....	14
DeckWise® Hardwood Plugs (Smooth).....	16
DeckWise® WiseWrap® JoistTape™ .....	17
DeckWise® Drill&Drive™ 3-In-1 Drill Bit Set .....	18
Hardwood Deck Tile System .....	19
DeckWise® Hardwood Wrench™ Plank Straightening Tool .....	20
DeckWise® Router Bits.....	22
DeckWise® Hardwood Plug Cutter .....	22
DeckWise® WiseGuides® Deck Plank Spacers .....	23

Exclusive co-brand packaging and labeling programs are available for Dealers and Distributors on DeckWise® products. For more information, call +31 33 469 1037 or email [sales@DeckWise.eu](mailto:sales@DeckWise.eu).



# INVISIBLE DECK FIXINGS

Manufactured By DeckWise®



Available in **3 SIGNATURE COLORS**  
to match your deck.



Shadowline Black • Hardwood Brown • Composite Grey

Injection Molded  
UV Polymer Casing

Hardened  
Stainless Steel Insert

Built-In Spacers



The DeckWise® hardwood deck fixing clip is unlike most “all-metal” fixings which, can react with timber oils triggering staining. The **EXTREME®** clip is constructed of a hardened plastic polymer resin shell that increases UV & chemical defense qualities; and has a stainless steel insert for reinforcement. Our solid stainless steel insert securely holds deck planks to joist sleepers (up to 3X additional hold-down strength), preventing screws from pulling through the clip as the timber plank expands.

Premium made in the USA for exotic hardwood decks, the color of the plastic resin also works to camouflage and disguise the clip between the deck plank gaps.

## Invisible Clip Kit

- (185) EXTREME® Invisible Deck Fixings
- (200) 4x50mm Black Stainless Steel Screws
- (12) 9,6mm Tapered Ipe Wooden Plugs
- (1) 3,2mm High Speed Drill Bit
- (1) T15 Star Drive Tip
- (3) Plank Spacer Wedges
- (1) Instruction Sheet



A2 Stainless Steel  
Trim-Head screws included in  
each container.

## 7,5L PRO Bucket

- (555) EXTREME® Invisible Deck Fixings
- (600) 4x50mm Black Stainless Steel Screws
- (3) 3,2mm High Speed Drill Bit
- (3) T15 Star Drive Tip
- (6) Plank Spacer Wedges
- (1) Instruction Sheet



Spacer Wedges are  
Included in EXTREME-S® and  
EXTREMEKD® containers only.

# EXTREME®

Gap spacing 2,4 mm (3/32")

# EXTREME-S®

Gap spacing 4mm (5/32")

# EXTREMEKD®


Gap spacing 6,4 mm (1/4")

Fast and simple installation • No visible screws produce a family safe, beautiful deck  
Uniform, precise timber gap spacing • Pull out resistance up to 500 KG of strength

COMPATIBLE WITH MOST EXOTIC HARDWOOD SPECIES FROM SOUTH AMERICA, ASIA, AND AFRICA.



Recommended for use with:  
Air-Dried Hardwoods,  
Thermal Woods &  
Composites




Hardened stainless steel insert  
inside rigid UV-and-chemical-  
resistant polypropylene.

Smaller leg maintains a perfect  
gap when materials contract due  
to environmental conditions.



Recommended for use with:  
Air-Dried, Kiln-Dried  
Hardwoods, Thermal  
Woods & Composites




Hardened stainless steel insert  
inside UV-and-chemical- resistant  
polyethylene.

Versatile leg is compatible  
with most deck materials.



Recommended for use with:  
Kiln-Dried Hardwoods,  
Thermal Woods,  
Composites & PVC



Hardened stainless steel  
insert inside UV-and-chemical-  
resistant polyethylene.

Hollow leg acts as a shock absorber  
as kiln-dried materials expand.

**NOTE: Check with your timber supplier for recommended gap spacing.**

EXTREME® Ipe Clip® Series - U.S. Patent Numbers 8,464,488 and 8,806,829. Original, "round", STANDARD Ipe Clip® - U.S. Patent No. D470,039.

# Symmetrical & Reversible Timber Planks

## Choose the Best Side of Your Timber Plank to Install



### POSITIONING DECK GROOVES

Symmetrical groove profile allow planks to be reversed and/or flipped to put the best side up.



### CUTTING DECK GROOVES

Cut the groove yourself using a standard biscuit joiner or router using a 4mm slot cutter 13mm deep.



### SCREWS DRIVEN AT A 45° ANGLE

The ability to run screws at a 45 degree angle through hardwoods greatly increases hold-down strength. Studies have proven that screws have more holding strength when installed at an angle. This method also maintains even gap spacing while properly allowing boards to expand and contract with the seasons.

Buy container loads of timber already grooved for DeckWise® invisible fixings. Call us for information and assistance with any of these options.

# HARDWOOD WATERPROOF SEALER

Distributed By DeckWise®

# WISECOAT™

Hardwood Deck, Cladding & Fence Sealer



3,5 Liters

Approximate coverage:

1 can = 23-28 m<sup>2</sup>

DeckWise® **WISECOAT® HARDWOOD SEALER** is a Low VOC, odorless waterproofer designed for use on exotic hardwood and thermally modified timber decking, cladding and fence surfaces. This water-based formula utilizes innovative nanotechnology to create a long-lasting breathable barrier against water intrusion, and harsh weather conditions. WISECOAT® deeply penetrates and coats the timber fibers at the cellular level, providing maximum protection throughout. It prevents cracking and splitting of the timber and will not create a surface film when applied.

- Low VOC
- Water-Based
- UV protection & Odorless
- Enhances wood stability
- Amber tint enhances natural timber grain
- Protects against water, mold & decay
- Prevents water intrusion
- Non-flammable

## APPLICATIONS:

- Decks
- Outdoor Furniture
- Railings
- Fences
- Docks
- Timber Framing
- Cladding
- Shake Roofs
- Play Sets

# TRIM-HEAD

## STAINLESS STEEL SCREWS

Distributed By DeckWise®


Use on exotic hardwoods,  
thermally modified woods  
& composite material.

 Shadowline Black

 Hardwood Brown

 Stainless Steel

 Cedar

 Rosy Brown

- A2 grade stainless steel provides anti-corrosion benefits
- T15 Star Drive finish heads for less stripping
- Type 17 auger tip for easy penetration



Sizes Available	100 count	350 count
4x25mm (#8x1")	✓	✓
4x38mm (#8x1-1/2")	✓	✓
4x50mm (#8x2")	✓	✓
4x64mm (#8x2-1/2")	✓	✓
4x79mm (#8x3-1/8")	✓	✓





# BUGLE-HEAD

## TIMBER SCREWS

Distributed By DeckWise®



Hardwood Brown



Stainless Steel



Fasten all types of wood decking-  
exotic hardwood, thermally modified  
wood, preservative-treated wood,  
and composite material.

- T-25 Star Drive for easy installation
- Type 17 Auger tip
- Double countersink flat head with 6 nibs sits flush with timber
- Coarse thread grips wood



Sizes Available	100 count	350 count
5x64mm (10x2-1/2")	✓	✓
5x79mm (10x3-1/8")	✓	✓

5x79mm

5x64mm



A2 Stainless Steel

# METAL JOIST

## STAINLESS STEEL SCREWS

Distributed By DeckWise®

SELF-TAPPING  
INSTALL WITH EASE!



Shadowline Black • Hardwood Brown • Silver

### STAR RECESS & UNDERCUT HEAD

Deep T-15 star tip recess; specially engineered head which eliminates slipping and stripped heads.

### TRIPLE STRENGTH CORROSION RESISTANCE

C1 stainless steel + Xylan coating + Bright hardening

### SELF-DRILLING POINT

#3 drill point digs into material with ease and cleanly penetrates the underlying metal or aluminum joist sleepers.

3,9x57mm

3,9x41mm



Sizes Available

100 count 350 count

3,9x41mm (#7x1-5/8")	✓	✓
3,9x57mm (#7x2-1/4")	✓	✓

Metal joist deck screws are available as an option in all invisible deck fixing kits.

# COMPOSITE STAINLESS STEEL SCREWS

Distributed By DeckWise®

A2 Stainless Steel  
5x64mm



- T-20 drive delivers plenty of torque without stripping out the heads
- Head designed to eliminate mushrooming or marring of deck surfaces
- These flutes grab the board and hold it tight to the joist
- Middle threads compress fibers deep in the hole, further helping to reduce mushrooming
- Lower threads grab the joist to additionally hold the board tight to the joist
- Sharp Type 17 auger point cuts fast and clean without splintering or splitting



Sizes Available

100 count 350 count

5x64mm (#10x2-1/2")



## 5 COLORS TO MATCH MATERIALS

Hardwood Brown



Cedar



Rosy Brown



Composite Grey



Composite Sand

# HEAT-TREATED STAINLESS STEEL SCREWS

Distributed By DeckWise®

HEAT-TREATED  
FOR HARDENED  
TOUGHNESS

Self-Drilling  
No Pre-drilling Required



A2 Stainless Steel

- **t tap**<sup>patented</sup> T15 Star Drive head for less slipping
- Heat treated for hardened toughness
- Serrated saw threads remove sawdust
- Four sided tip for self-drilling


\* **t tap**® is a registered trademark of Ttapdrive AS

4x45mm &  
4x50mm



DeckWise® Self-Drilling Heat-Treated Screws will easily penetrate hardwoods and most thermally modified timber.





**ttap**<sup>®</sup> *feel the difference*<sup>™</sup>  
patented



Locking bit to eliminate slipping.

Use in conjunction with the DeckWise<sup>®</sup> Drill&Drive<sup>™</sup>.


Sizes Available	100 count	350 count
4x45mm (#8x1-3/4")	✓	✓
4x50mm (#8x2")	✓	✓



DeckWise<sup>®</sup> HTSS<sup>™</sup> deck screws are available as an option in all Deckwise<sup>®</sup> invisible deck fixing kits.



LESS STRIPPING,  
LESS SNAPPING,  
LESS HEADACHES!<sup>™</sup>



# INVISIBLE CLADDING FIXINGS

Manufactured By DeckWise®



DeckWise® Invisible Cladding Fixing Kit Contains:

Invisible Cladding Fixings	50 range	175 range	300 range	1050 range
Starter Clips	-	12	20	64
4x50mm Screws	50	190	325	1130
T15 Tip(s)	1	1	2	3



DeckWise®  
Starter Clips



DeckWise®  
Invisible Cladding Fixings




4x50mm A2 Stainless  
Steel Trim-Head Screws




T15 Driver Tip

## A2 STAINLESS STEEL

Install hardwood cladding with  
**NO VISIBLE** fixings  
on the surface.



Screw location if hanging siding on the vertical, angular, or overhead




Secondary Screw Hole



DeckWise® Invisible Cladding Fixing



DeckWise® Starter Clips



# HARDWOOD PLUG

## KITS & SYSTEM

Manufactured By DeckWise®

PLUGS AVAILABLE IN  
100, 350, 1050, & 1750  
QUANTITIES



## HARDWOOD PLUGS SMOOTH



Sizes Available

Cumaru

Tigerwood

Ipe

Massaranduba

9,5mm (3/8")



Custom sizes available for our **HARDWOOD PLUGS**.  
Ask an associate for details, pricing, and minimum quantities.

## MASTER PLUG KIT

- 350 ct. or 1,050 ct. Hardwood Plugs
- 350 ct. or 1,050 ct. DeckWise® 4x50mm Stainless Steel Screws
- 1 Complete Drill&Drive™ 3-in-1 Drill Bit Set
- 118ml (4 oz.) Bottle of Gorilla Glue®





# PROTECTIVE TAPE

## FOR JOISTS

Distributed By DeckWise®

**SELF-ADHESIVE & SELF-SEALING**  
butyl tape with premium UV  
resistance and high tack.


- Protects against wood rot
- Creates a waterproof membrane
- Noise dampening qualities
- Self seals around screws

# WiseWrap®

## JOISTTAPE™



Available in rolls of  
75mm x 15m



# 3-in-1 REVERSIBLE DRILL BIT SET

Manufactured By DeckWise®

## DRILL&DRIVE™

Use to **COUNTERSINK** face screws  
or for **DRILLING PLUG HOLES** with  
pilot holes all in one step.

### Drill&Drive™ Kit Includes

- 1 Quick Change Locking Collar
- 2 3,18mm High-speed Drill Bit & 9,5mm Countersink Tool with T15 Star Drive Tip
- 3 4 5 3,18mm Drill Bit & 9,5mm Countersink
- 6 On-board Hex Key
- 7 8 9 10 T15 Star Drive Tip



**DRILL**



**FLIP**



**DRIVE**

# HARDWOOD

## DECK TILE SYSTEM

Manufactured By DeckWise®



Available in Ipe,  
Cumaru, Tigerwood  
and Massaranduba.

Size ranges are:  
600mm x 600mm x 43mm &  
500mm x 500mm x 30mm

LUXURIOUS.  
LONG-LASTING.  
EXCEPTIONAL VALUE.

Constructed from responsibly harvested premium grade hardwood remnants.

Hardwood Deck Tiles are perfect for new or renovated residential and commercial applications. Designed for both the DIY homeowner and the professional contractor, these tiles are ideal for roof tops, gardens or over any area a typical deck cannot be installed. The exotic shading and natural wood color variations provide the rich look of a luxurious deck. Made from Brazilian hardwoods, they are extremely durable, naturally resistant to insects, and rot resistant.

BRAZILIAN  
HARDWOOD

SMOOTH & ANTI-SLIP  
DECK TILES



WiseTile™ Deck Tile Connectors (sold separately) simply snap in place, precisely, accurately and securely over virtually any hard surface.

Shadowline Black • Hardwood Brown • Concrete Grey

# HARDWOOD PLANK STRAIGHTENING

Manufactured By DeckWise®



## True Hands-Free Installations



## 10 CONFIGURATIONS

1. Right Hand Single Joist
2. Right Hand Double Joist
3. Right Hand Reverse Handle Single Joist
4. Right Hand Reverse Handle double joist
5. Left Hand Single Joist
6. Left Hand Double Joist
7. Left Hand Reverse Handle Single Joist
8. Left Hand Reverse Handle Double Joist
9. Right Hand Furring
10. Left Hand Furring



# 1

**Position The HARDWOOD WRENCH™  
On The Joist Sleeper.**

# 2

**Rotate Handle To Straighten Bowed Planks.**

# 3

**Cam Locks In Place, Holding Planks Straight.**

**1 + 10 + 500<sup>KG</sup> = THE ULTIMATE  
TOOL CONFIGURATIONS BENDING FORCE DECK BOARD STRAIGHTENER**

**Adjustable stainless steel  
joist pins for use on up to  
95mm (3.75") joists**

**Hard-anodized aircraft grade  
aluminum**

**Stainless steel multi-position  
handle**

**Knurled stainless steel joist pins  
for increased gripping.**

**Solid hardwood handle**



Patent Numbers: US 8,936,054; D623,913; EP 2,387,648;  
DE202010001036.5; UK 2,469,964; AU 2010210940; CA 2,749,643.  
Other U.S. and International patents pending.

# ACCESSORIES

## TERRACE TOOLS

Distributed By DeckWise®



### ROUTER BITS

Sizes Available		4mm (5/32") 4-WING SLOT CUTTER BITS	
<b>12,7mm Arbor</b> (1/2")			Blade diameter - 47,6mm Slot Width (A) - 4mm Slot Depth (B) - 12,7mm
<b>6,4mm Arbor</b> (1/4")			Blade diameter - 47,6mm Slot Width (A) - 4mm Slot Depth (B) - 12,7mm

\*Safety details at [www.DeckWise.com/Safety](http://www.DeckWise.com/Safety). Do not exceed 16,000 RPM for safety.

### HARDWOOD PLUG CUTTER



Conveniently cut hardwood plugs on the job site.

- Anti-skate design
- Self centering Guide Pin
- Use with Hand-Held Drill or Drill Press



# SPACER WEDGES

## PLANK GAP TOOL

Manufactured By DeckWise®

**WiseGuides®**






**6 PACK**  
(6 of any 1 size)



**20 PACK**  
(20 of any 1 size or an assortment)

Use with **EXOTIC HARDWOODS, THERMALLY MODIFIED SOFTWOODS & COMPOSITE DECKING**  
...any deck building material!

Sizes Available	3,2mm	4mm	5,2mm	6,4mm	8mm
6 pack: 6 of any 1 size	✓	✓	✓	✓	✓
20 pack: 20 of any 1 size	✓	✓	✓	✓	✓
20 pack variety: 4 of each size	✓	✓	✓	✓	✓





# DeckWise®.eu

Manufacturers of Hidden Deck Fasteners & Accessories

## EUROPEAN SALES OFFICE

DeckWise® International B.V.  
Nijverheidsweg Noord 60-2  
3812 PM Amersfoort  
The Netherlands

VAT Number: NL8514.52.863.B.01.  
Chamber Of Commerce  
Number: 54820634

Phone Number: **+ 31 33 469 1037**  
Fax Number: + 31 33 448 0525

## NORTH AMERICAN ADMINISTRATION & MANUFACTURING FACILITY

DeckWise®  
The Ipe Clip® Fastener Company  
2111 58th Ave East  
Bradenton, FL 34203

Phone Number: 941-896-9851  
Toll Free Number: 866-427-2547  
Fax Number: 941-896-9858

[www.DeckWise.eu](http://www.DeckWise.eu)

{ ©2019 DeckWise® International BV, All rights reserved.  
EXTREME® hardwood clip is manufactured by DeckWise®. }



DeckWise® EXTREME® Invisible Deck Fixings.....	4
Groove and Profile Cutting .....	6
DeckWise® WISECOAT® Hardwood Deck Sealer .....	7
DeckWise® Trim-Head Deck Screws .....	8
DeckWise® Bugle-Head Deck Screws .....	9
DeckWise® Metal Joist Self Tapping Screw .....	10
DeckWise® Composite Screw .....	11
DeckWise® Heat-Treated Deck Screws .....	12
DeckWise® WISESEAL™ End Grain Sealer .....	13
DeckWise® Invisible Cladding Fixings .....	14
DeckWise® Hardwood Plugs (Smooth).....	16
DeckWise® WiseWrap® JoistTape™ .....	17
DeckWise® Drill&Drive™ 3-In-1 Drill Bit Set .....	18
Hardwood Deck Tile System .....	19
DeckWise® Hardwood Wrench™ Plank Straightening Tool .....	20
DeckWise® Router Bits.....	22
DeckWise® Hardwood Plug Cutter.....	22
DeckWise® WiseGuides® Deck Plank Spacers .....	23

# HEAT-TREATED STAINLESS STEEL SCREWS

Distributed By DeckWise®

LESS STRIPPING,  
LESS SNAPPING,  
LESS HEADACHES!

## Self-Drilling No Pre-drilling Required

18-8 Stainless Steel

- **tTap**® T15 Star Drive head for less slipping
- Heat treated for hardened toughness
- Serrated saw threads remove sawdust
- Four sided tip for self-drilling

4x45mm &  
4x50mm



Use in conjunction  
with the DeckWise®  
Drill&Drive™.



Sizes Available

100 count 350 count

4x45mm (#8x1-3/4")	✓	✓
4x50mm (#8x2")	✓	✓

DeckWise® HTSS™ deck screws are available as an option  
in all Deckwise® invisible deck fixing kits.

# HARDWOOD

## END GRAIN SEALER

Distributed By DeckWise®

# WISESEAL™

End Grain Sealer



**DO NOT** apply to walking surfaces, this sealer can be slippery.

1 Liter  
Approximate coverage:  
1 can = 46 m<sup>2</sup>



- Low VOC
- Non-hazardous
- Water-based
- Deck Planks
- Cladding Planks
- Fence Ends
- Timber Railings

**WISESEAL™** is a wax emulsion sealant proven to increase the structural integrity of hardwood lumber. Designed to prevent end checking (drying splits) in freshly sawn logs, timber planks, turning blanks, and other exposed wood end and face grain.

DeckWise® **WISESEAL™** has made it easy for timber mills and yards to protect their wood inventory. WISESEAL™ is packaged in an easy to use 1-Litre can to quickly seal fresh cut deck and cladding plank end grains or timber log ends.

Don't let your **exotic hardwoods or thermally treated timber** inventory disappear with unsightly end checking and splitting.



**NOTE:** Due to differences in wood species, variations in climatic conditions, and individual usage methods; results are NOT guaranteed.

